



REQUEST FOR QUOTE

The Board of County Commissioners is seeking written quotes to re-roof the Property Appraiser and Supervisor of Elections Building located at 3115 Crawfordville Highway, Crawfordville, FL. The existing roof is approximately 30 years old and is severely leaking. In addition to re-roofing this building gutters need to be installed to help divert excessive water from accumulating around the building.

Removal of existing roof system to roof deck:

- *Replace any deck sheathing that is loose or damaged;
- *Has to be re-nailed to Florida Building Code;
- *Install poly stick IRXE underlayment over deck sheathing;
- *Install new metal stand roof system.

Composition of roof shall include:

- *26 gauge or better full lengths standing seam roofing panels (maximum 50 year warranty); *Color (Metallic Copper) must match existing roofs located on other County Buildings in the downtown area;
- *26 gauge trim package including vented soffit;
- *Must have double bubble wrap insulation;
- *New metal ridge vent and all applicable stack vent flashings.
- *Install Gutters which should be in 10 foot sections over main entrances with down spots and splash blocks. Gutter color will be white.

All new metal roof materials are to meet Energy Star standards and LEED approval.

Protection of the buildings throughout construction will be the responsibility of the contractor.

Clean up must be performed daily.

Project also includes, but is not limited to: Protection of landscaping, adjacent building surfaces, the public and minimize the disruption to the building occupants and daily activities of county staff.

Contractors must show proof of State Certification and Insurance.

Request for Quote

Page Two

Quotes are DUE no later than FRIDAY, September 25, 2009 at 10:00 a.m. Technical questions should be directed to Mr. John Taylor @ 850.926.1086 or 850.228.9650 (cellular). Procedural and administrative questions should be directed to Ms. Virginia Dekle, Purchasing Office at 850.926.9500.

Please send written quotes to Virginia Dekle at 850.926.9006 (fax); hand-deliver to 196 Ochlockonee Street, Crawfordville, FL or via US Mail to: PO Box 309, Crawfordville, FL 32327.